Salient^m TMI

SEED TREATMENT

TOUGH FOUR-WAY DISEASE PLUS INSECT PROTECTION.

Salient™ TMI deploys four actives to suppress and treat seed- and soil-borne disease while controlling early-season seedling injury due to insect pressure. Three Salient TMI actives control challenging broad-spectrum diseases, including Fusarium, Rhizoctonia, seed rots, dwarf bunt, smut, barley stripe, Pythium and root rots. Meanwhile, Salient TMI's imidacloprid helps prevent light to moderate early-season wireworm pressure. Salient TMI is an excellent seed treatment choice for barley, oats, triticale and wheat.

COMPETITIVE ADVANTAGES

PREVENTIVE AND CURATIVE BROAD-SPECTRUM CONTROL

- Control of dwarf bunt
- Convenient premix is formulated with four proven actives
- Preventive and curative broad-spectrum disease control
- Controls soil-borne diseases and prevents seed decay
- Early-season control of typical wireworm infestation

AT-A-GLANCE INFO

EPA REG. NO. 55146-159

ACTIVE INGR. tebuconazole (4.1 g/l),

metalaxyl (19.1 g/l), difenoconazole (37.3 g/l), imidacloprid (60 g/l)

FORMULATION flowable COLORED yes

CHEM. FAMILY triazole, phenylamide,

neonicotinoid

FRAC/IRAC NO. 3, 4 and 4A

MODE OF ACT. inhibition of RNA

biosynthesis, acetylcholine receptor agonist and inhibition of sterol biosynthesis

SIGNAL WORD caution RES. USE no

PACKAGE SIZE 2.5 gal container (2 per

case), 30 gal, 250 gal, for custom blend

COMPARE TO CruiserMaxx®

Vibrance® Cereals







TOUGH FOUR-WAY DISEASE PLUS INSECT PROTECTION.

LABELED CROPS

Barley Oats Triticale Wheat

KEY DISEASES CONTROLLED

(See product label for complete list)

Aspergillus

Barley stripe (early season)

Common root rot (Cochiliobolus spp.)

Covered smut of barley

Dwarf bunt

Flag smut

Fusarium scab

Fusarium foot rot

Karnal bunt

Loose smut

Penicillium

Powdery mildew*

Pythium damping-off

Rhizoctonia root rot

Septoria

Septoria disease complex

Septoria leaf blotch

Stinking smut (common bunt)

Wheat leaf rust*

*early season suppression

KEY INSECTS CONTROLLED

(See product label for complete list)

Wireworms

USE SUMMARY

APPLICATION RECOMMENDATIONS

Salient[™] TMI is a mixture of the fungicides difenoconazole, tebuconazole, metalaxyl and the insecticide imidacloprid. When used on listed crops, this product aids in the control or suppression of the listed seed, seedling and soil-borne diseases and insects on seed and young seedlings of barley, oats, triticale and wheat.

CROP	RATE
Barley, oats, triticale, wheat	5.0 - 7.5 fl oz/100 lb of seed

Apply prior to planting as a slurry treatment in sufficient fluid for adequate coverage. Salient TMI is to be used only in liquid or slurry treaters (in commercial seed treatment facilities). Mix thoroughly before use or use entire container at one time. Ensure thorough coverage, All tank mixes should be pre-tested to determine physical compatibility between formulations. Follow the most restrictive precautions and limitations on the labeling of all products used in mixtures.

SEED BAG LABELING REQUIREMENTS

Seed commercially treated with this product must be labeled in accordance with all applicable requirements of the Federal Seed Act. The user of this product is responsible for ensuring that the seed bag meets all requirements under the Federal Seed Act.

THE FEDERAL SEED ACT REQUIRES THAT BAGS CONTAINING TREATED SEEDS BE LABELED WITH THE FOLLOWING STATEMENTS:

"This seed has been treated with Salient TMI Seed Treatment (metalaxyI, tebuconazole, difenoconazole, imidacloprid). **DO NOT** use for feed, food, or oil purpose."

See label for complete application rates and recommendations.



