

IMPACT™

MAKE YOURS.

**Soybeans
& Corn**



DISTRIBUTED BY LEGEND SEEDS®, INC.


2022

Experience the **performance you expect**
with the **results you deserve.**



Legend Seeds is pleased to be the sole distributor of **IMPACT** brand corn and soybeans. **IMPACT** brand consists of both LibertyLink® GT27® and Enlist E3® soybean varieties ranging from 0.02 - 3.1 relative maturities and glyphosate tolerant (GT) corn hybrids ranging from 102 - 107 day.

Visit **www.legendseeds.net/impact-corn-soybeans** or scan the QR code to view product tech sheets!





As a fiercely independent seed company, Legend Seeds takes pride in being the ONE source for our customers' seed & biological needs. We partner with providers across the seed industry to offer the best products that fit your acres.



TABLE OF CONTENTS

| | |
|--------------------------------------|-------|
| Corn Technologies | 4 |
| Corn Hybrids & Corn Agronomics | 5 |
| Soybean Technologies | 6 |
| Enlist E3® Soybeans | 7-10 |
| LibertyLink® GT27® Soybeans | 10-11 |
| Soybean Agronomics | 12 |
| Legal | 13 |
| Soy _{fx} ™ | 14 |
| YP Pro™ Seed Treatment | 15 |



*IMPACT is a trademark of
M.S. Technologies, L.L.C., West Point, IA.*

Distributed by Legend Seeds, Inc.



PRODUCT NAME KEY

92102 GT

Trait

Relative Maturity

Year Introduced

Traited corn

GT – Glyphosate Tolerant provides tolerance to in-crop applications of glyphosate-based herbicides. This hybrid is an excellent option for refuge acres in a structured refuge operation.



PRODUCT RATING KEY

Rating Scale: 10-1; 10= Superior, 5= Average, 1= Poor

Plant Height: S= Short, MS= Medium Short, M= Medium, MT= Medium Tall, T= Tall

Ear Type: F= Flex, S= Semi-Determinant / Semi-Flex, D= Determinant





NOTES

I have been very happy with the help of my dealer in finding the right varieties of both corn and soybeans that do very well on my farm.

*- David McClernon
Tintah, MN*

CORN AGRONOMICS

| Brand Name | Relative Maturity | Emergence | Drought Tolerance | Dry Down | Test Weight | Gray Leaf Spot | Goss's Wilt | Northern Corn Leaf Blight | GDU Flowering | GDU Black Layer | Plant Height | Ear Height | Ear Type | Roots | Stalks | Irrigation | No-till | Coarse Texture | Medium Texture | Fine Texture | Corn on Corn |
|------------|-------------------|-----------|-------------------|----------|-------------|----------------|-------------|---------------------------|---------------|-----------------|--------------|------------|----------|-------|--------|------------|---------|----------------|----------------|--------------|--------------|
| 92102 GT | 102 | 8 | 8 | 8 | 8 | 7 | 7 | 8 | 1350 | 2550 | M | M | S | 8 | 9 | HR | HR | R | HR | R | C |
| 92107 GT | 107 | 8 | 7 | 7 | 8 | 7 | 6 | 8 | 1385 | 2625 | M | M | S | 8 | 7 | HR | HR | HR | HR | R | R |

Rating Scale: 10-1; 10= Superior, 5= Average, 1= Poor; **Plant Height:** S= Short, MS= Medium Short, M= Medium, MT= Medium Tall, T= Tall;

Ear Height: MH= Moderately High, M= Moderate, ML= Moderately Low; **Ear Type:** F= Flex, S= Semi-Determinant / Semi-Flex, D= Determinant;


Characteristics: HR= Highly Recommend, R= Recommend, C= Caution, N/A= Not Available



SOYBEANS

PRODUCT NAME KEY

10 E125N



PRODUCT

Plant Type: B= Bush style; SB= Semi-Bush style; U= Upright style

Plant Height: S= Short; MS= Medium Short; M= Medium; MT= Medium Tall; T= Tall

Phytophthora Root Rot (PRR): None = No Gene

Rating Scale: 10= Superior, 5= Average, and 1= Poor

Enlist E3® soybeans provide tolerance to new 2,4-D choline, glyphosate and glufosinate. [™]Trademarks of Dow AgroSciences or DuPont, and their affiliated companies or their respective owners.



LibertyLink® GT27® created with high-yielding elite genetics, LibertyLink GT27 soybeans will give growers exceptional performance coupled with outstanding weed control. LibertyLink GT27 soybeans will be the first soybean technology enabling both Liberty® and glyphosate use over the top.



DEFENSIVE TRAIT KEY

- 0 = Offensive yield potential
- 1 = Soybean Aphid Tolerance
- 2 = Brown Stem Rot Resistance (BSR)
- 3 = Sclerotinia White Mold Resistance (SWM)
- 4 = Sudden Death Syndrome Tolerance (SDS)
- 5 = Iron Deficiency Chlorosis Tolerance (IDC)
- 6 = Major Phytophthora Root Rot Gene (PRR)
- 7 = Stem Canker

Enlist® = E after maturity

LibertyLink® GT® = LGT after maturity



ENLIST E3®

002E265

0.02 RM



| | | |
|------------------------|---------------------------|-------------------------|
| Plant Type U | Plant Height MT | PRR Gene None |
|------------------------|---------------------------|-------------------------|

**NEW**

- Medium-tall, upright plant structure
- Very good emergence and early season vigor
- Good stress tolerance and good standability
- Brown Stem Rot resistant

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

03E000N

0.3 RM



| | | |
|-------------------------|--------------------------|-------------------------|
| Plant Type SB | Plant Height M | PRR Gene None |
|-------------------------|--------------------------|-------------------------|



- An early SCN variety with good stress tolerance
- Impressive emergence for no-till situations
- Offensive style soybean that excels in high yield environments

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

05E256N

0.5 RM



| | | |
|-------------------------|--------------------------|---------------------------|
| Plant Type SB | Plant Height M | PRR Gene Rps 3a |
|-------------------------|--------------------------|---------------------------|

**NEW**

- Impressive emergence and early vigor
- Phytophthora Root Rot protection with the Rps 3a gene and very good field tolerance
- Good Iron Deficiency Chlorosis tolerance
- Improved yields over LS 05E065N

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

07E165N

0.7 RM



| | | |
|-------------------------|--------------------------|------------------------------------|
| Plant Type SB | Plant Height M | PRR Gene Rps 1c + Rps 3a |
|-------------------------|--------------------------|------------------------------------|



- Very good stress tolerance with good standability
- Good Iron Deficiency Chlorosis tolerance
- Double stack Phytophthora Root Rot gene with Rps 1c + Rps 3a and very good field tolerance
- Improved Sclerotinia White Mold and standability

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

08E127N

0.8 RM



| | | |
|-------------------------|--------------------------|-------------------------|
| Plant Type SB | Plant Height M | PRR Gene None |
|-------------------------|--------------------------|-------------------------|



- Very good stress tolerance
- Impressive emergence and early vigor
- Brown Stem Rot and Stem Canker Resistance
- Improved standability, Phytophthora Root Rot field tolerance and stress tolerance

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

10E125N

1.0 RM



| | | |
|---------------------------|--------------------------|-------------------------|
| Plant Type SB-B | Plant Height M | PRR Gene None |
|---------------------------|--------------------------|-------------------------|



- Very good emergence
- Salt excluder which provides tolerance to chloride
- Good Iron Deficiency Chlorosis and Sclerotinia White Mold tolerance
- Improved Sclerotinia White Mold tolerance

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10



1.2 - 1.9 RM

ENLIST E3®

SOYBEANS

12E157N

1.2 RM



| Plant Type | Plant Height | PRR Gene | |
|------------|--------------|----------|--|
| SB | M | None | |

- Very good emergence and early vigor
- STS herbicide tolerance for increased weed resistance management
- Very good stress tolerance and good standability
- Improved Sclerotinia White Mold tolerance

BENEFITS



14E152N

1.4 RM



| Plant Type | Plant Height | PRR Gene | |
|------------|--------------|----------|--|
| SB | MT | Rps 1k | |

- Impressive emergence for no-till situations
- Very good standability and good stress tolerance
- Good Phytophthora Root Rot tolerance with Rps 1k gene
- Improved Sudden Death Syndrome and Sclerotinia White Mold tolerance

BENEFITS



18E245N

1.8 RM



| Plant Type | Plant Height | PRR Gene | |
|------------|--------------|----------|--|
| SB | M | Rps 3a | |

NEW

- Strong Sudden Death Syndrome tolerance
- Rps 3a gene with very good Phytophthora Root Rot field tolerance
- Very good stress tolerance and good standability
- Good tolerance to Iron Deficiency Chlorosis

BENEFITS



13E245N

1.3 RM




| Plant Type | Plant Height | PRR Gene | |
|------------|--------------|----------|--|
| SB | MT | Rps 1c | |

NEW

- Semi-bush soybean with very good standability that easily closes a 30" row
- Very good Sudden Death Syndrome tolerance
- Phytophthora Root Rot control with a Rps 1c gene and good field tolerance
- Good performance across all yield environments

BENEFITS



16E163N


1.6 RM



| Plant Type | Plant Height | PRR Gene | |
|------------|--------------|----------|--|
| SB | M | Rps 1k | |

- Very good standability
- Good Phytophthora Root Rot tolerance with Rps 1k gene and good Sclerotinia White Mold tolerance
- Impressive emergence
- Improved Sclerotinia White Mold, standability and Sudden Death Syndrome

BENEFITS



19E173N


1.9 RM







| Plant Type | Plant Height | PRR Gene | |
|------------|--------------|----------|--|
| SB | M | None | |

- Very good emergence
- Good standability and stress tolerance
- Good tolerance to Iron Deficiency Chlorosis and Sclerotinia White Mold
- Improved yields over 18E043N

BENEFITS



ENLIST E3®



Multiple Herbicide Tolerances for Superior Weed Control



- New 2,4-D Choline
- Glyphosate
- Glufosinate

Following burndown, Enlist Duo® and Enlist One® with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use with Enlist E3™ soybeans.



- Convenient blend of 2,4-D choline and glyphosate
- Two modes of action to deliver control and help prevent resistance in your fields



- Straight-goods 2,4-D choline with additional tank-mix flexibility
- Ability to tank-mix with glufosinate and other qualified herbicides, customizing the ratio of herbicides to match each farm's needs

On Target Applications

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester



2.8 - 3.1 RM

ENLIST E3®

SOYBEANS

28E256N

2.8 RM



Plant Type

SB-B

Plant Height

M

PRR Gene

Rps 1k



NEW

- Rps 1k gene with very good Phytophthora Root Rot field tolerance
- Good standability and has good stress tolerance
- Very impressive emergence and early season vigor
- Improved yields over 27E962N

BENEFITS

EMERGENCE

8

LODGING

7

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

7

1 2 3 4 5 6 7 8 9 10

31E157N

3.1 RM



Plant Type

SB-B

Plant Height

M-MT

PRR Gene

None



- Very good stress tolerance and good standability
- Good Iron Deficiency Chlorosis tolerance
- Broadly adapted variety
- Improved stress tolerance and Phytophthora Root Rot field tolerance

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

NOTES

I was very pleased with the weed control we had with using the Enlist platform.

- Keith Rohde
Norfolk, NE



0.5 - 0.8 RM

LIBERTY LINK® GT27®

05LGT265N

0.5 RM



Plant Type

SB

Plant Height

M

PRR Gene

None



NEW

- Earliest LibertyLink® GT27® with SCN
- Good Sclerotinia White Mold tolerance and Iron Deficiency Chlorosis tolerance
- Exceptional early season vigor and emergence
- Very good standability, an improvement over 04LGT035

BENEFITS

EMERGENCE

LODGING

TOLERANCES

IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

08LGT065N

0.8 RM



Plant Type

SB

Plant Height

MT

PRR Gene

Rps 3a



- Strong defensive package for tough acres
- Excellent stress tolerance
- Heavy lateral branching with good pod expression
- Impressive emergence for no-till situations

BENEFITS

EMERGENCE

LODGING

TOLERANCES






IRON DEFICIENCY CHLOROSIS RATING

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

LIBERTY LINK® GT27®

SOYBEANS





SOYBEAN AGRONOMICS

| Brand Name | Technology | Relative Maturity | Plant Height | Plant Type | Emergence | Drought Tolerance | Lodging | Cyst Nematode | Phytophthora Gene | PRR Field Tolerance | IDC | White Mold | SDS | Brown Stem Rot | No-till | Coarse Texture | Medium Texture | Fine Texture |
|-----------------------------|------------|-------------------|--------------|------------|-----------|-------------------|---------|---------------|-------------------|---------------------|-----|------------|-----|----------------|---------|----------------|----------------|--------------|
| ENLIST E3® SOYBEANS | | | | | | | | | | | | | | | | | | |
| NEW 002E26S | ENLIST | 0.02 | MT | U | 8 | 7 | 7 | S | None | 7 | 6 | 6 | NA | R | HR | R | HR | R |
| 03E000N | ENLIST | 0.3 | M | SB | 8 | 7 | 7 | R3, MR14 | None | 6 | 7 | 5 | NA | NA | HR | R | HR | HR |
| NEW 05E256N | ENLIST | 0.5 | M | SB | 8 | 7 | 7 | R3, MR14 | Rps 3a | 8 | 7 | 6 | NA | R | HR | R | HR | R |
| 07E165N | ENLIST | 0.7 | M | SB | 8 | 8 | 7 | R3, MR14 | Rps 1c + Rps 3a | 8 | 7 | 6 | NA | NA | HR | HR | HR | HR |
| 08E127N | ENLIST | 0.8 | M | SB | 8 | 8 | 7 | R3, MR14 | None | 7 | 6 | 6 | NA | R | HR | HR | HR | R |
| 10E125N | ENLIST | 1.0 | M | SB-B | 8 | 7 | 7 | R3, MR14 | None | 7 | 7 | 7 | NA | R | HR | R | HR | R |
| 12E157N | ENLIST | 1.2 | M | SB | 8 | 7 | 6 | R3, MR14 | None | 6 | 6 | 7 | 7 | NA | HR | HR | HR | R |
| NEW 13E245N | ENLIST | 1.3 | MT | SB | 8 | 8 | 8 | R3, MR14 | Rps 1c | 7 | 7 | 6 | 8 | NA | HR | R | HR | R |
| 14E152N | ENLIST | 1.4 | MT | SB | 8 | 7 | 8 | R3, MR14 | Rps 1k | 7 | 6 | 7 | 8 | R | HR | R | HR | R |
| 16E163N | ENLIST | 1.6 | M | SB | 8 | 6 | 8 | R3, MR14 | Rps 1k | 6 | 6 | 7 | 6 | MR | HR | R | HR | HR |
| NEW 18E245N | ENLIST | 1.8 | M | SB | 8 | 8 | 7 | R3, MR14 | Rps 3a | 8 | 7 | 6 | 8 | MR | HR | R | HR | R |
| 19E173N | ENLIST | 1.9 | M | SB | 8 | 7 | 7 | R3, MR14 | None | 7 | 6 | 7 | 7 | MR | HR | R | HR | R |
| NEW 20E245N | ENLIST | 2.0 | MT | SB | 8 | 7 | 7 | R3, MR14 | None | 7 | 7 | 7 | 8 | R | HR | R | HR | R |
| 21E162N | ENLIST | 2.1 | M | SB | 8 | 6 | 7 | R3, MR14 | Rps 1k | 7 | 6 | 7 | 6 | R | HR | R | HR | HR |
| NEW 23E234N | ENLIST | 2.3 | M | SB | 8 | 8 | 7 | R3, MR14 | None | 7 | 7 | 7 | 7 | R | HR | R | HR | R |
| 25E152N | ENLIST | 2.5 | MT | SB | 8 | 8 | 6 | R3, MR14 | None | 7 | 8 | 5 | 5 | R | HR | HR | HR | R |
| NEW 28E256N | ENLIST | 2.8 | M | SB-B | 8 | 7 | 7 | R3, MR14 | Rps 1k | 8 | 7 | NA | 6 | NA | HR | R | HR | R |
| 31E157N | ENLIST | 3.1 | M-MT | SB-B | 7 | 8 | 7 | R3, MR14 | None | 7 | 7 | 6 | 4 | NA | R | HR | HR | R |
| LIBERTYLINK® GT27™ SOYBEANS | | | | | | | | | | | | | | | | | | |
| NEW 05LGT265N | LLGT27 | 0.5 | M | SB | 8 | 8 | 8 | R3, MR14 | None | 7 | 7 | 7 | NA | NA | HR | R | HR | R |
| 08LGT065N | LLGT27 | 0.8 | MT | SB | 8 | 9 | 7 | R3, MR14 | Rps 3a | 7 | 7 | 5 | NA | NA | HR | HR | HR | R |
| 13LGT132N | LLGT27 | 1.3 | M | U-SB | 8 | 6 | 9 | R3, MR14 | Rps 1k | 7 | 6 | 8 | 5 | R | HR | R | HR | R |
| 16LGT035N | LLGT27 | 1.6 | M | SB | 8 | 7 | 9 | R3, MR14 | Rps 1k | 6 | 6 | 8 | 6 | R | HR | HR | HR | HR |
| 21LGT157N | LLGT27 | 2.1 | M | SB | 8 | 8 | 7 | R3, MR14 | None | 7 | 7 | 7 | 7 | NA | HR | HR | HR | R |
| NEW 27LGT254N | LLGT27 | 2.7 | MT | SB | 8 | 8 | 7 | R3, MR14 | Rps 1c | 7 | 7 | NA | 6 | R | HR | R | HR | R |
| NEW 29LGT254N | LLGT27 | 2.9 | M | SB | 8 | 7 | 7 | R3, MR14 | Rps H1k | 8 | 7 | NA | 6 | NA | HR | R | HR | R |
| 31LGT127N | LLGT27 | 3.1 | M-MT | SB-B | 8 | 7 | 8 | R3, MR14 | None | 6 | 6 | NA | 7 | R | HR | R | HR | R |

Rating Scale: 10= Superior, 5= Average, and 1= Poor; **Plant Height:** S= Short, MS= Medium Short; M= Medium; MT= Medium Tall; T= Tall; **Plant Type:** B= Bush style; SB= Semi-Bush style; U= Upright style
Phytophthora Root Rot (PRR): None = No Gene; **Brown Stem Rot:** R= Resistant; MR= Moderately Resistant; MS= Moderately Susceptible; S= Susceptible, NA= Not Available
Characteristics: HR= Highly Recommend, R= Recommend, C= Caution, N/A= Not Available

LEGAL

LIBERTYLINK



Seeds containing the LibertyLink® trait may be protected under one or more U.S. patents and may be planted only to produce one (1) commercial crop in a single season, and only after signing a BASF Grower Technology Agreement. It is illegal to save seeds containing the LibertyLink trait for use as planting seed or for transfer to others for use as planting seed.

LibertyLink® GT27® soybeans offer triple stack tolerance to Liberty, glyphosate, and, in select counties specified on the label, the first HPPD based herbicide for soybeans—Alite™ 27. Other HPPD herbicides not labeled for use with LibertyLink GT27 or isoxaflutole-resistant soybeans may cause significant crop injury. Alite 27 herbicide is only available for use in labeled counties.

Always read and follow label directions. Alite 27 is a restricted use herbicide. Alite, Liberty, and LibertyLink are registered trademarks of BASF. GT27 is a registered trademark of M.S. Technologies, L.L.C. MS Technologies is a trademark of M.S. Technologies, L.L.C. ©2020 BASF Corporation / M.S. Technologies, L.L.C. All Rights Reserved.



Product Use Statement: Enlist E3® soybeans contain the Enlist E3 trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans.

Warning: Enlist E3 soybeans are tolerant of over-the top applications of glyphosate, glufosinate, and 2,4-D. Accidental application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-D herbicides, grower agrees to only use 2,4-D products that contain Colex-D technology authorized for use in conjunction with Enlist E3 soybeans. Always read and follow herbicide label directions prior to use.

YOU MUST SIGN A TECHNOLOGY AGREEMENT, READ THE PRODUCT USE GUIDE PRIOR TO PLANTING AND FOLLOW HERBICIDE RESISTANCE MANAGEMENT (HRM) REQUIREMENTS.

The transgenic event in the Enlist E3® soybean is protected under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: www.corteva.us/Resources/trait-stewardship.html.

The transgenic event in the Enlist E3® soybean event in Enlist E3® soybeans is jointly developed and owned by Dow AgroSciences LLC and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 log and Colex-D are trademarks of Dow AgroSciences LLC.

IMPACT IS TRADEMARK OF M.S. TECHNOLOGIES, L.L.C., WEST POINT, IA

SEED USE RESTRICTION AGREEMENT

This Seed Use Restriction Agreement (the "Agreement") applies to all users ("User(s)") of the seed ("Seed") contained in this package. If you purchase the Seed, you agree that you and any person or entity, including employees, representatives, contractors and agents thereof, who plant, grow, cultivate or otherwise use the Seed, will abide by these use restrictions. If you open or cause any person or entity to open a package of Seed, you agree that you accept the terms of this Agreement, and you, your employees, representatives, contractors and agents will abide by these use restrictions.

SEED USE AGREEMENT

M.S. Technologies, L.L.C. ("MS TECH") and its suppliers are engaged in the business of developing and supplying for sale various varieties and/or hybrids of Seed. MS TECH and its suppliers have a substantial investment and expended substantial effort in the development and production of this seed, and in the use of subsequent production of Seed. MS TECH and its suppliers have existing contractual relationships with other distributors for the sale of seed and expectations of additional contracts for sale of seed from such distributors in the future. The purchase of the Seed includes a limited license to produce a single crop under MS TECH property rights, including where applicable certain U.S. patents which can be found on the package and seed tags.

In consideration of the foregoing, and in consideration of the Seed that User has been sold or otherwise granted the right to use, User hereby acknowledges and agrees that the production from the Seed will be used only for feed or processing, and unless USER has an agreement for such purposes, Seed and plants produced from Seed will not be used or sold for seed, breeding, or any variety or hybrid development or improvement purposes; these restrictions apply to all plants produced from Seed, including without limitation variant and inbred plants and Seed that may be contained in this package or grow from Seed. User acknowledges MS TECH and its suppliers have a proprietary interest in the use of subsequent production from the Seed, and agrees it would be a violation of this Agreement to allow the subsequent production of the Seed to be used to create any seed variety or seed product from said production. Any export of this Seed or its progeny from the country of purchase is strictly prohibited,

except that forage or grain may be exported solely for use in feeding or processing.

User agrees and acknowledges that any use of the Seed, which is forbidden by this Agreement will constitute a misappropriation of the property of MS TECH and its suppliers and will therefore result in a breach of this Agreement. User agrees that MS TECH and/or its suppliers may bring an action to recover damages as a result of the breach of this Agreement, along with reasonable attorney fees and costs associated with any action commenced in regard thereto. User further agrees that the exclusive venue for any dispute arising under this Agreement or in connection to any breach thereof shall be in the federal or state courts for Dallas County, Iowa, and hereby irrevocably consents to the personal jurisdiction of such courts. This Agreement shall be governed under the laws of the State of Iowa.

User agrees and acknowledges that any use of the Seed, which is forbidden by this Agreement, will damage MS TECH and its suppliers' legitimate expectation of future sales of seed, and any use of Seed in violation of this Agreement will constitute an attempt to intentionally injure or destroy MS TECH and its suppliers' prospective business expectations in future sales of seed.

User agrees and acknowledges that any use of Seed from MS TECH in violation of this Agreement will cause substantial damage to MS TECH and/or its suppliers, and that if subsequent production of the Seed is used to create a seed variety or seed product, substantial damage to MS TECH and or its suppliers for all seed varieties or seed products thereby created will be caused. This Agreement shall not limit any other rights, legal or equitable, that MS TECH and its suppliers have but shall be accumulative.

User agrees to only use agricultural herbicide that are expressly labeled for use in conjunction with the Seed and have received government approvals as specified in a product use guide.

NOTICE OF REQUIRED ARBITRATION

Under the seed laws of several states arbitration, mediation or conciliation is required as a prerequisite to maintaining a legal action based upon the failure of seed to produce as represented. The consumer shall file a complaint along with the required filing fee (where applicable) with the Commissioner/Director/Secretary of Agriculture, Seed Commissioner, or Chief Agricultural Officer within such time as to permit inspection of the crops, plants or trees by the designated agency and the seller from whom the seed was purchased. A copy of the complaint shall be sent to the seller by certified or registered mail or as otherwise provided by state statute.

OTHER TERMS & CONDITIONS

For sale in the U.S. only. MS TECH assumes no responsibility for MS TECH's supplier's, distributor's or dealer's verbal and/or written claims, promises, warranties or actions which are contrary to MS TECH's normal operating policies. USER must notify MS TECH within fourteen (14) days of becoming aware of alleged issues regarding the quality or performance of the Seed.

LIMITATION OF WARRANTIES & DAMAGES

MS TECH warrants, to the extent of the purchase price and to the extent that the packaging and label have not been compromised, that the Seed is as described on the package and on the tag attached thereto within recognized tolerances. MS TECH gives no other WARRANTY, expressed or implied, of MERCHANTABILITY or FITNESS of the Seed for any particular purpose, nor any warranty against loss due to any cause, including environmental conditions, soil conditions, chemicals or farming practices, or the response of the Seed to any such conditions. MS TECH shall not be liable for incidental or consequential damages, including loss of profits. MS TECH'S LIABILITY for damages for any cause, including breach of contract, breach of warranty, and negligence, with respect to the sale of seed is LIMITED to the purchase price of the Seed. THIS REMEDY IS EXCLUSIVE. BY ACCEPTANCE OF THIS SEED OR OPENING THIS PACKAGE, USER ACCEPTS THE TERMS HEREIN. IF USER DOES NOT AGREE WITH THESE TERMS AND CONDITIONS, USER MUST RETURN THE ORIGINAL UNOPENED SEED PACKAGE TO MS TECH WITHIN TWENTY DAYS OF RECEIPT AND USER'S SOLE REMEDY SHALL BE FOR REFUND OF THE USER'S ORIGINAL PURCHASE PRICE. MS TECH may modify and amend the terms and conditions of this Agreement without notice and in its sole discretion.

MS TECH has utilized standard industry isolation and purity procedures in the production of seed products. Because of contamination factors beyond MS TECH's control, MS TECH cannot warrant or represent that MS TECH seed products are free of other transgenic corn traits or transgenic soybean traits. Words and phrases herein shall be construed as in the singular or plural number, according to the context.

EXPERIENCE
THE BENEFITS
OF

Soy_{fx}TM



For Use On: Soybeans

Soy_{fx}TM is a specific/unique combination of identified and tested microbes that elicit a positive crop response. Soy_{fx}TM unlocks the plant's ability to produce growth regulators and metabolites that enhance production through biosynthetic pathway efficiencies.

BENEFITS

- Phosphate solubilization through microbial activity
- Increased total leaf area
- Reduced ethylene production
- Enhanced pod set
- Improved ability to withstand stress
- Soy_{fx}TM contains microbes that enhance regrowth following a hail event, so the point of stem breakage grows rather than growth from an axillary bud.
- Improves root development
- Increased nodulation and nodule size


APPLICATION RATES

- **Seed:** 1 fl. oz. per 50 lbs. Can be applied alone or in combination with other seed treatments.
- **In Furrow:** 16 fl. oz. per acre and minimum of 5 gpa total volume.
- **Foliar:** 16 fl. oz. per acre with 10 to 20 gallons water. May be tank mixed with other products. Early vegetative application (V2-V4) would be ideal.
- **Guaranteed Analysis**
- **Non-plant Food:**
 - Bacillus megaterium..... 1x10⁵ CFU/ml
 - Bacillus pumilis 1x10² CFU/ml
- Microorganisms exempt from CFR requirements 40 CFR 725
- **Packaging:** 4x1 gallon jugs (seed applied), 2x2.5 gallon jugs (in furrow and foliar), 275 gallon bulk shuttles (in furrow and foliar)

MODES OF ACTION

- Plant pH modulation maximizes biosynthetic pathways
- Facultative anaerobic bacteria support the production of nodules in upper inch of soil
- ACC Deaminase bacteria reduce production of ethylene (stress hormone)
- ACC Deaminase bacteria interacts to reduce Reactive Oxygen Species (ROS) signaling and mitigates stress
- Continuous action microbes facilitate micro-nutrient availability within the plant

Visit www.LegendSeeds.net/products/biologicals or contact your Legend Seeds representative to learn more.



* When positive response was achieved. Local results may vary based on growing conditions.



YIELD PROTECTOR PRO⁺: SOYBEAN TREATMENT

- Contains Sembolite™ to encourage strong root development and plant growth. You see earlier and more uniform emergence leading to a yield benefit
- Insecticide to protect your plants at emergence and provide activity on soybean aphids.
- Three fungicides to deliver the broadest spectrum control.
- Systemic movement for optimal protection from root to leaf tips.
- Seedworx polymer for superior seed handling and planter accuracy. Seedworx is incorporated into the blend for application convenience.
- Enjoy smooth-flowing seed even on humid days.

MAXIMIZE YIELD POTENTIAL OF HIGH-VALUE SEEDS

Yield Protector Pro⁺: Soybean Treatment provides the protection you need, guarding against all major seed and early season soil-borne diseases. You can expect greater root mass, healthier roots, and more plants per acre – which all adds up to more yield.

| Treatment | Yield* | Additional Revenue Over Untreated @\$12/BU |
|--|--------|--|
| Untreated | 51.22 | \$0.00 |
| YP Pro ⁺ : Soybean | 54.33 | +\$37.32 |
| YP Pro ⁺ : Soybean + Preside® | 55.05 | +\$45.96 |

*Average of 10 trials in 2017 & 2018 across Minnesota, Wisconsin, and South Dakota.

ACTIVE INGREDIENTS

| | |
|-------------------------|---|
| Fludioxonil..... | Fusarium, Rhizoctonia, Phomopsis |
| Thiophanate-Methyl..... | Aspergillus, Fusarium |
| Metalaxyl..... | Pythium, Phytophthora (Water Molds) |
| Imidacloprid..... | Aphids, Bean Leaf Beetles, Seed-Corn Maggot, Wireworm |
| Sembolite™..... | Growth Promoter |



Seed treated with Seedworx has an enhanced shiny appearance that seed handlers and growers notice immediately. Beyond appearance, seed finished with Seedworx flows better through seed handling equipment and planters. This means fewer problems with seed bridging and sticking for more consistent seeding and planting performance.



YP Pro⁺ with Seedworx liquid finisher

YP Pro⁺ with no finisher applied

Legend Seeds is offering

FREE REPLANTS

on Yield Protector Pro⁺ (YP Pro⁺) treated soybeans sold by Legend Seeds!

If any soybeans treated with YP Pro⁺ Seed Treatment requires replanting, replant seed of the same technology and the treatment will be supplied at no cost.

IMPACTTM

MAKE YOURS.

IMPACT is a trademark of M.S. Technologies, L.L.C., West Point, IA.



DISTRIBUTED BY LEGEND SEEDS, INC.



Legend Seeds, Inc.
PO Box 241
De Smet, SD 57231



605.854.3346
800.678.3346



info@legendseeds.net
legendseeds.net - WEBSITE

FOLLOW US ON

