

2023

# IMPACT<sup>TM</sup>

MAKE YOURS.



LIBERTYLINK<sup>®</sup>  
GT27



*DISTRIBUTED BY LEGEND SEEDS, INC.*



# TABLE OF CONTENTS

Soybean Technologies .....	4
Enlist E3® Soybeans .....	5-8
LibertyLink® GT27® Soybeans .....	9
Soybean Agronomics .....	10
Envita .....	11
Soy <sub>fx</sub> ™ .....	12
YP Pro+™ Seed Treatment .....	13
Legal .....	14
From the Field .....	15



*IMPACT is a trademark of  
M.S. Technologies, L.L.C., West Point, IA.*

*Distributed by Legend Seeds, Inc.*

Visit ***legendseeds.net/***  
***impact-soybeans*** or scan  
the QR code to  
view product  
tech sheets!



EXPERIENCE  
**PERFORMANCE**



Legend Seeds is pleased to be the sole distributor of **IMPACT** brand soybeans. The **IMPACT** brand consists of both LibertyLink® GT27® and Enlist E3® soybean varieties ranging from 0.02 - 3.1 relative maturities.

As a fiercely independent seed company, Legend Seeds takes pride in being the ONE source for our customers' seed & biological needs. We partner with providers across the seed industry to offer the best products that fit your acres.




CE THE  
**PERFORMANCE** YOU EXPECT  
WITH THE **RESULTS** YOU DESERVE.



# SOYBEANS

## PRODUCT NAME KEY

**10 E1 25 N**



## PRODUCT

**Plant Type:** B= Bush style; SB= Semi-Bush style; U= Upright style

**Plant Height:** S= Short; MS= Medium Short; M= Medium; MT= Medium Tall; T= Tall

**Phytophthora Root Rot Gene (PRR):** None = No Gene

**Rating Scale:** 10= Superior, 5= Average, and 1= Poor

## DEFENSIVE TRAIT KEY

0 = Offensive yield potential

1 = Soybean Aphid Tolerance

2 = Brown Stem Rot Resistance (BSR)

3 = Sclerotinia White Mold Resistance (SWM)

4 = Sudden Death Syndrome Tolerance (SDS)

5 = Iron Deficiency Chlorosis Tolerance (IDC)

6 = Major Phytophthora Root Rot Gene (PRR)

7 = Stem Canker

**Enlist®** = E after maturity

**LibertyLink® GT®** = LGT after maturity



**Enlist E3®** soybeans provide tolerance to new 2,4-D choline, glyphosate and glufosinate. <sup>TM</sup>Trademarks of Corteva Agriscience, and their affiliated companies or their respective owners.

**LIBERTYLINK®**

**GT27®**

**LibertyLink® GT27®** created with high-yielding elite genetics, LibertyLink GT27 soybeans will give growers exceptional performance coupled with outstanding weed control. LibertyLink GT27 soybeans will be the first soybean technology enabling both Liberty® and glyphosate use over the top.





## 002E265

0.02 RM

**IMPACT**

Plant Type <b>U</b>	Plant Height <b>MT</b>	PRR Gene <b>None</b>	
------------------------	---------------------------	-------------------------	--

- Medium-tall, upright plant structure
- Very good emergence and early season vigor
- Good stress tolerance and good standability
- Brown Stem Rot resistant

**BENEFITS**

EMERGENCE	8
LODGING	7

**TOLERANCES**

IRON DEFICIENCY CHLOROSIS	6
SCLEROTINIA WHITE MOLD	6

## 01E353

0.1 RM

**IMPACT**

Plant Type <b>SB</b>	Plant Height <b>MT</b>	PRR Gene <b>Rps 1a 3c</b>		<b>NEW</b>
-------------------------	---------------------------	------------------------------	--	------------

- Yield upgrade from 02E963
- Very good shatter tolerance
- Very good emergence
- Improved Iron Deficiency Chlorosis tolerance

**BENEFITS**

EMERGENCE	8
LODGING	7

**TOLERANCES**

IRON DEFICIENCY CHLOROSIS	7
SCLEROTINIA WHITE MOLD	6

## 03E000N

0.3 RM

**IMPACT**

Plant Type <b>SB</b>	Plant Height <b>M</b>	PRR Gene <b>None</b>	
-------------------------	--------------------------	-------------------------	--

- An early SCN variety with good stress tolerance
- Impressive emergence for no-till situations
- Offensive style soybean that excels in high yield environments

**BENEFITS**

EMERGENCE	8
LODGING	7

**TOLERANCES**

IRON DEFICIENCY CHLOROSIS	7
SCLEROTINIA WHITE MOLD	5

## 05E256N

0.5 RM

**IMPACT**

Plant Type <b>SB</b>	Plant Height <b>M</b>	PRR Gene <b>Rps 3a</b>	
-------------------------	--------------------------	---------------------------	--

- Impressive emergence and early vigor
- Phytophthora Root Rot protection with the Rps 3a gene and very good field tolerance
- Good Iron Deficiency Chlorosis tolerance
- Highly productive lateral branching for increased yield

**BENEFITS**

EMERGENCE	8
LODGING	7

**TOLERANCES**

IRON DEFICIENCY CHLOROSIS	7
SCLEROTINIA WHITE MOLD	6

## 07E165N

0.7 RM

**IMPACT**

Plant Type <b>SB</b>	Plant Height <b>M</b>	PRR Gene <b>Rps 1c + Rps 3a</b>	
-------------------------	--------------------------	------------------------------------	--

- Very good stress tolerance with good standability
- Good Iron Deficiency Chlorosis tolerance
- Double stack Phytophthora Root Rot gene with Rps 1c + Rps 3a and very good field tolerance
- Improved Sclerotinia White Mold and standability

**BENEFITS**

EMERGENCE	8
LODGING	7

**TOLERANCES**

IRON DEFICIENCY CHLOROSIS	7
SCLEROTINIA WHITE MOLD	7

## 09E345N

0.9 RM

**IMPACT**

Plant Type <b>SB</b>	Plant Height <b>M</b>	PRR Gene <b>Rps 3a</b>		<b>NEW</b>
-------------------------	--------------------------	---------------------------	--	------------

- Very good Phytophthora Root Rot field tolerance
- Good Iron Deficiency Chlorosis tolerance
- Pekin SCN marker
- Very good stress tolerance

**BENEFITS**

EMERGENCE	8
LODGING	7

**TOLERANCES**

IRON DEFICIENCY CHLOROSIS	7
SCLEROTINIA WHITE MOLD	6

## 10E125N


1.0 RM



Plant Type	Plant Height	PRR Gene	
SB-B	M	None	

- Very good emergence
- Salt excluder which provides tolerance to chloride
- Good Iron Deficiency Chlorosis and Sclerotinia White Mold tolerances
- Improved Sclerotinia White Mold tolerance


### BENEFITS



## 12E157N


1.2 RM



Plant Type	Plant Height	PRR Gene	
SB	M	None	

- Very good emergence and early vigor
- STS herbicide tolerance for increased weed resistance management
- Very good stress tolerance and good standability
- Improved Sclerotinia White Mold tolerance

### BENEFITS



## 13E245N

1.3 RM



Plant Type	Plant Height	PRR Gene	
SB	MT	Rps 1c	

- Semi-bush soybean with very good standability that easily closes a 30" row
- Very good Sudden Death Syndrome tolerance
- Phytophthora Root Rot control with a Rps 1c gene and good field tolerance
- Good performance across all yield environments


### BENEFITS



## 14E152N

1.4 RM



Plant Type	Plant Height	PRR Gene	
SB	MT	Rps 1k	

- Impressive emergence for no-till situations
- Very good standability and good stress tolerance
- Good Phytophthora Root Rot tolerance with Rps 1k gene
- Improved Sudden Death Syndrome and Sclerotinia White Mold tolerance

### BENEFITS



## 16E163N


1.6 RM



Plant Type	Plant Height	PRR Gene	
SB	M	Rps 1k	

- Very good standability
- Good Phytophthora Root Rot tolerance with Rps 1k gene and good Sclerotinia White Mold tolerance
- Impressive emergence
- Improved Sudden Death Syndrome tolerance


### BENEFITS



## 17E335N

1.7 RM




Plant Type	Plant Height	PRR Gene	
SB	M	Rps 1k	

**NEW**

- Very good standability
- Consistent performance with SWM, SDS and IDC
- Dependable across yield environments
- Wide area of adaptation, moves well east to west and north to south

### BENEFITS






## 18E245N


1.8 RM



Plant Type	Plant Height	PRR Gene	
SB	M	Rps 3a	

- Strong Sudden Death Syndrome tolerance
- Rps 3a gene with very good Phytophthora Root Rot field tolerance
- Very good stress tolerance and good standability
- Good tolerance to Iron Deficiency Chlorosis


### BENEFITS



## 19E173N


1.9 RM



Plant Type	Plant Height	PRR Gene	
SB	M	None	

- Very good emergence
- Good standability and stress tolerance
- Good tolerance to Iron Deficiency Chlorosis and Sclerotinia White Mold
- Works well in all row spacing

### BENEFITS



## 20E343N

2.0 RM



Plant Type	Plant Height	PRR Gene	
SB	MT	Rps 1k	

NEW

- Very good Sudden Death Syndrome tolerance
- Very good stress tolerance
- Rps 1k Phytophthora Root Rot gene with good field tolerance
- Improved Sclerotinia White Mold and Iron Deficiency Chlorosis tolerances


### BENEFITS



## 21E162N


2.1 RM



Plant Type	Plant Height	PRR Gene	
SB	M	Rps 1k	

- Very good emergence
- Good Sclerotinia White Mold tolerance
- Rps 1k Phytophthora Root Rot gene with good field tolerance and Brown Stem Rot resistance
- In zone performance that can move north


### BENEFITS



## 23E354N

2.3 RM




Plant Type	Plant Height	PRR Gene	
SB	MT	Rps 1c	

NEW

- Very good stress tolerance
- Good Iron Deficiency Chlorosis tolerance
- Very good Phytophthora Root Rot tolerance
- Improved Sclerotinia White Mold tolerance


### BENEFITS



## 25E334N

2.5 RM




Plant Type	Plant Height	PRR Gene	
SB-B	MT	Rps 1a	

NEW

- Very good Charcoal Root Rot tolerance
- Good standability and stress tolerance
- Unique plant style
- Improved Sclerotinia White Mold score over 25E152N

### BENEFITS







## 2.8-3.1 RM

### 28E256N

2.8 RM



Plant Type	Plant Height	PRR Gene	
SB-B	M	Rps 1k	

- Rps 1k gene with very good Phytophthora Root Rot field tolerance
- Good standability and good stress tolerance
- Very impressive emergence and early season vigor
- Maintains its height and shows excellent width under stress

#### BENEFITS

EMERGENCE

LODGING

#### TOLERANCES

IRON DEFICIENCY CHLOROSIS

1 2 3 4 5 6 7 8 9 10

### 31E157N

3.1 RM



Plant Type	Plant Height	PRR Gene	
SB-B	M-MT	None	

- Very good stress tolerance and good standability
- Good Iron Deficiency Chlorosis tolerance
- Broadly adapted variety
- Improved stress tolerance and Phytophthora Root Rot field tolerance

#### BENEFITS

EMERGENCE

LODGING

#### TOLERANCES

IRON DEFICIENCY CHLOROSIS

SCLEROTINIA WHITE MOLD

1 2 3 4 5 6 7 8 9 10

## NOTES

## Multiple Herbicide Tolerances for Superior Weed Control



- New 2,4-D Choline
- Glyphosate
- Glufosinate

Following burndown, Enlist Duo® and Enlist One® with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use with Enlist E3™ soybeans.



- Convenient blend of 2,4-D choline and glyphosate
- Two modes of action to deliver control and help prevent resistance in your fields



- Straight-goods 2,4-D choline with additional tank-mix flexibility
- Ability to tank-mix with glufosinate and other qualified herbicides, customizing the ratio of herbicides to match each farm's needs

#### On Target Applications

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester



**05LGT265N**

0.5 RM




Plant Type	Plant Height	PRR Gene	LIBERTYLINK GT27
<b>SB</b>	<b>M</b>	<b>None</b>	

- Earliest LibertyLink® GT27® with SCN
- Good Sclerotinia White Mold tolerance and Iron Deficiency Chlorosis tolerance
- Exceptional early season vigor and emergence
- Very good Charcoal Root Rot and shatter tolerance

**BENEFITS**



**TOLERANCES**



**09LGT353N**

0.9 RM



**NEW**


Plant Type	Plant Height	PRR Gene	LIBERTYLINK GT27
<b>SB</b>	<b>M</b>	<b>Rps 1c</b>	

- Good Sudden Death Syndrome tolerance
- Good Iron Deficiency Chlorosis tolerance
- Very good emergence and stress tolerance
- Good Charcoal Root Rot tolerance

**BENEFITS**



**TOLERANCES**



**13LGT132N**

1.3 RM



Plant Type	Plant Height	PRR Gene	LIBERTYLINK GT27
<b>U-SB</b>	<b>M</b>	<b>Rps 1k</b>	

- Exceptional early season vigor and emergence
- Very good Sclerotinia White Mold tolerance
- Brown Stem Rot and Stem Canker resistance
- Excellent standability

**BENEFITS**



**TOLERANCES**



**16LGT035N**

1.6 RM



Plant Type	Plant Height	PRR Gene	LIBERTYLINK GT27
<b>SB</b>	<b>M</b>	<b>Rps 1k</b>	

- Performs well east to west across the Legend Seeds footprint
- Unique combination of Sudden Death Syndrome, Brown Stem Rot, Sclerotinia White Mold and Iron Deficiency Chlorosis tolerances
- Excellent standability for all row widths
- Outstanding in high yield environments

**BENEFITS**



**TOLERANCES**



**21LGT157N**

2.1 RM




Plant Type	Plant Height	PRR Gene	LIBERTYLINK GT27
<b>SB</b>	<b>M</b>	<b>None</b>	

- Very good stress tolerance and good standability
- Solid Iron Deficiency Chlorosis tolerance
- Good Phytophthora Root Rot field tolerance and resistance to Stem Canker
- Improved stress tolerance and Sudden Death Syndrome tolerance

**BENEFITS**



**TOLERANCES**



**29LGT254N**

2.9 RM



Plant Type	Plant Height	PRR Gene	LIBERTYLINK GT27
<b>SB</b>	<b>M</b>	<b>Rps H1k</b>	

- Very good Phytophthora Root Rot field tolerance with Rps H1k gene
- Good stress tolerance
- Semi-bushy soybean with good standability
- Good Iron Deficiency Chlorosis tolerance

**BENEFITS**



**TOLERANCES**





AGRONOMIC DATA

Brand Name		Technology	Relative Maturity	Plant Height	Plant Type	Emergence	Drought Tolerance	Lodging	Cyst Nematode	Phytophthora Root Rot Gene	PRR Field Tolerance	IDC	White Mold	SDS	Brown Stem Rot	No-till	Coarse Texture	Medium Texture	Fine Texture
ENLIST E3® SOYBEANS																			
NEW	002E265	ENLIST	0.02	MT	U	8	7	7	S	None	7	6	6	7	R	R	HR	R	HR
	01E353	ENLIST	0.1	MT	SB	8	7	7	None	Rps 1a 3c	8	7	6	NA	None	HR	HR	HR	HR
	03E000N	ENLIST	0.3	M	SB	8	7	7	R3, MR14	None	6	7	5	S	None	R	HR	HR	HR
NEW	05E256N	ENLIST	0.5	M	SB	8	7	7	R3, MR14	Rps 3a	8	7	6	R	R	R	HR	R	R
	07E165N	ENLIST	0.7	M	SB	8	8	7	R3, MR14	Rps 1c + Rps 3a	8	7	7	S	None	HR	HR	HR	R
	09E345N	ENLIST	0.9	M	SB	8	8	7	R3/R5	NGene	8	7	6	7	R	HR	HR	HR	HR
NEW	10E125N	ENLIST	1	M	SB-B	8	7	7	R3, MR14	None	7	7	7	R	R	R	HR	R	HR
	12E157N	ENLIST	1.2	M	SB	8	8	7	R3, MR14	None	7	7	6	S	None	HR	HR	R	R
	13E245N	ENLIST	1.3	MT	SB	8	8	8	R3, MR14	Rps 1c	7	7	6	7	None	R	HR	R	HR
NEW	14E152N	ENLIST	1.4	MT	SB	8	7	8	R3, MR14	Rps 1k	7	6	7	R	R	R	HR	R	HR
	16E163N	ENLIST	1.6	M	SB	8	NA	8	R3, MR14	Rps 1k	7	6	7	MR	MR	R	HR	HR	R
	17E335N	ENLIST	1.7	M	SB	8	8	7	R3, MR14	Rps 1k	7	7	7	8	NG	HR	HR	HR	HR
NEW	18E245N	ENLIST	1.8	M	SB	8	8	7	R3, MR14	Rps 3a	8	7	6	MR	MR	R	HR	R	HR
	19E173N	ENLIST	1.9	M	SB	8	7	7	R3, MR14	None	7	7	7	MR	MR	R	HR	R	HR
	20E343N	ENLIST	2.0	MT	SB	8	8	7	R3, MR14	Rps 1k	7	7	7	8	NG	HR	HR	HR	HR
NEW	21E162N	ENLIST	2.1	M	SB	8	NA	7	R3, MR14	Rps 1k	7	6	7	R	R	R	HR	HR	R
	23E354N	ENLIST	2.3	MT	SB	8	8	6	R3, MR14	RPS 1c	7	8	6	7	R	HR	R	HR	R
	25E334N	ENLIST	2.5	MT	SB-B	8	8	7	R3, MR14	Rps 1a	7	6	6	6	NG	HR	HR	HR	HR
NEW	28E256N	ENLIST	2.8	M	SB-B	8	7	7	R3, MR14	Rps 1k	8	7	NA	NA	None	R	HR	R	HR
	31E157N	ENLIST	3.1	M-MT	SB-B	7	8	7	R3, MR14	None	7	7	6	S	None	HR	HR	R	R
LIBERTYLINK® GT27® SOYBEANS																			
NEW	05LGT265N	LL GT27	0.5	M	SB	8	8	8	R3, MR14	None	7	7	7	NA	None	R	HR	R	R
	09LGT353N	LL GT27	0.9	M	SB	8	8	7	R3, MR14	Rps 1c	7	7	6	7	R	HR	HR	HR	HR
	13LGT132N	LL GT27	1.3	M	U-SB	8	6	9	R3, MR14	Rps 1k	6	6	8	R	R	R	HR	R	HR
NEW	16LGT035N	LL GT27	1.6	M	SB	8	7	9	R3, MR14	Rps 1k	6	7	7	R	R	HR	HR	HR	R
	21LGT157N	LL GT27	2.1	M	SB	8	8	7	R3, MR14	None	7	7	6	S	None	HR	HR	R	HR
	29LGT254N	LL GT27	2.9	M	SB	8	7	7	R3, MR14	Rps H1k	8	7	5	NA	None	R	HR	R	HR

**RATING SCALE:** 10= Superior, 5= Average, and 1= Poor

**PLANT HEIGHT:** S= Short, MS= Medium Short; M= Medium; MT= Medium Tall; T= Tall

**PLANT TYPE:** B= Bush style; SB= Semi-Bush style; U= Upright style

**BROWN STEM ROT:** R= Resistant; MR= Moderately Resistant; MS= Moderately Susceptible; S= Susceptible, NA= Not Available

**CHARACTERISTICS:** HR= Highly Recommend, R= Recommend, C= Caution, N/A= Not Available




# THERE'S A NEW



# GAME IN TOWN

## envita

Three years of trials consisting of over 25 data points showed an average of 3.7 bu/acre increase when a positive response was achieved.



### MULTI-YEAR\* SOYBEAN DATA

\*2019, 2020, & 2021

**3** STATES | **11** LOCATIONS | **25** DATA POINTS

**60% WIN RATE**


**AVERAGE INCREASE**

**3.7**  
BU/ACRE

WHEN POSITIVE  
RESPONSE ACHIEVED

*Multi-Crop Use!*

### How Envita works:



- Envita enters the plant through the root zone (in-furrow application) or leaf stomata (foliar application)
- Envita bacteria works its way into the plant cell and colonies within the actual cell
- Envita bacteria creates small vesicles or "air pockets" within the plant cell that have the ability of capturing nitrogen from the atmosphere
- Envita repopulates within the cell

## Application Rates

**In furrow: 3.2 fl. oz. per acre**

**Foliar: 3.2 fl. oz. per acre**

### In Furrow Starter Fertilizer

#### Tank Mix Directions:

Compatible with most starter fertilizers. Always perform jar test to confirm mixture compatibility. For best results follow product mixing protocol listed below:

#### STEP 1:

Load starter fertilizer into application tank

#### STEP 2:

Load 1 - 2.5 gallons of water per acre into application tank. Low salt fertilizers require less water, while higher salt fertilizers such as 10-34-0 require higher levels of water to buffer the salt's impact on the bacteria.

#### STEP 3:

Load 3.2 ounces (1 gallon treats 40 acres) of Envita into the fertilizer/water mixture in the application tank.

**DO NOT ADD ENVITA DIRECTLY INTO FERTILIZER BEFORE ADDING WATER.**

\*The amount of time Envita is mixed with fertilizer in a tank is critical to the success of the product. For best results apply mixture of fertilizer, water, and Envita within 6-8 hours.

### Foliar Application Directions:

- Envita is compatible with most herbicides, insecticides, and fungicides. Perform a jar test to confirm compatibility.
- If possible avoid mixing with Group 4 herbicides, however Performance Guarantee will still apply if used with Group 4 herbicides.
- Apply Envita between the V2-V6 stage in corn & V2-V4 stage in soybeans.
- Apply Envita with 15-20 gallons per acre of water for best results.
- Use a non-ionic surfactant for best results.
- Follow best spraying practices: Avoid heavy dews, extreme heat & humidity, etc.

**CAUTION: SHOULD NOT USE IN COMBINATION WITH UREA PRODUCTS. DO NOT APPLY FOLIAR WITH 28% OR 32% UAN.**

### Storage and Use:

**DO NOT FREEZE.** Store between 39° and 76° F out of the sun. Do not open until ready to use. Shake container well before using. Keep jugs upright. This fluid contains living organisms, so be mindful that it may have an odor and is perishable.



# Soy<sub>fx</sub><sup>TM</sup>

## For Use On: Soybeans

Soy<sub>fx</sub><sup>TM</sup> is a specific/unique combination of identified and tested microbes that elicit a positive crop response. Soy<sub>fx</sub><sup>TM</sup> unlocks the plant's ability to produce growth regulators and metabolites that enhance production through biosynthetic pathway efficiencies.

*Planted soybeans treated with Soy<sub>fx</sub> this year and averaged 94.5 bushel across a field. This was calculated off of load slips. Yield monitor had as high as 106 bu very happy and have never had soybeans yield like this on this farm.*

— Steve Machkovich | Green Lake, WI

### How Does Soy<sub>fx</sub> Increase Branching?

Microbes contained within Soy<sub>fx</sub> manipulate the plant into activating the lower axillary buds into developing branches.

### Increased Pods

- Additional branching and less aborted flowers/pods helps support higher pod counts.
- We sampled 145 Soy<sub>fx</sub> treated plants compared to 145 non-treated plants from the same field
- 28% increase in pod count with the Soy<sub>fx</sub> treated plants

### Increased Nodulation

- Facilitative anaerobic bacteria support the production of nodules in upper inch of soil
- Independent research documented a 23% increase in nodulation with Soy<sub>fx</sub>
- Nodules fix Nitrogen into a form usable by plants

### Efficacy after Hail Event

- Microbes within Soy<sub>fx</sub> trigger regrowth at point of breakage rather than relying on lower axillary buds
- Soy<sub>fx</sub> allows for a quicker, more aggressive recovery from a hailstorm resulting in lower yield loss

## Branches, Pods, & Nodes

**11%  
MORE**  
BRANCHES

with Soy<sub>fx</sub>

**28%  
MORE**  
PODS PER PLANT

with Soy<sub>fx</sub>

**23%  
MORE**  
NODULATION

with Soy<sub>fx</sub>

WHY SHOULD I  
USE SOY<sub>fx</sub>?

Flexible Use Options

+  
Increased Branching, Pods & Nodes

+  
Efficacy After Hail Event

+  
Plant Stress Mitigation &  
Reduced Ethylene Production

= INCREASED YIELD POTENTIAL

Soy<sub>fx</sub> treated soybean plants



Untreated soybean plants



Photos taken approximately  
1 ½ months after hailstorm.

Visit [www.LegendSeeds.net/products/biologicals](http://www.LegendSeeds.net/products/biologicals)  
or contact your Legend Seeds representative to learn more.





## YIELD PROTECTOR PRO+: SOYBEAN TREATMENT

- Contains Sembolite™ to encourage strong root development and plant growth. You see earlier and more uniform emergence leading to a yield benefit.
- Insecticide to protect your plants at emergence and provide activity on soybean aphids.
- Three fungicides to deliver the broadest spectrum control.
- Systemic movement for optimal protection from root to leaf tips.
- Seedworx polymer for superior seed handling and planter accuracy. Seedworx is incorporated into the blend for application convenience.
- Enjoy smooth-flowing seed even on humid days.

## MAXIMIZE YIELD POTENTIAL OF HIGH-VALUE SEEDS

Yield Protector Pro+: Soybean Treatment provides the protection you need, guarding against all major seed and early season soil-borne diseases. You can expect greater root mass, healthier roots, and more plants per acre – which all adds up to more yield.

Treatment	Yield*	Additional Revenue Over Untreated @\$12/BU
Untreated	51.22	\$0.00
YP Pro+: Soybean	54.33	+\$37.32
YP Pro+: Soybean + Preside®	55.05	+\$48.96

\*Average of 10 trials in 2017 & 2018 across Minnesota, Wisconsin, and South Dakota.

### ACTIVE INGREDIENTS

Fludioxonil .....	Fusarium, Rhizoctonia, Phomopsis
Thiophanate-Methyl .....	Aspergillus, Fusarium
Mefenoxam .....	Pythium, Phytophthora (Water Molds)
Imidacloprid .....	Aphids, Bean Leaf Beetles, Seed-Corn Maggot, Wireworm
Sembolite™ .....	Growth Promoter

### PRIMARY TARGETS



*Seed treated with Seedworx has an enhanced shiny appearance that seed handlers and growers notice immediately. Beyond appearance, seed finished with Seedworx flows better through seed handling equipment and planters. This means fewer problems with seed bridging and sticking for more consistent seeding and planting performance.*



YP Pro+ with Seedworx liquid finisher

YP Pro+ with no finisher applied

**Legend Seeds is offering**  
**FREE REPLANTS**  
on Yield Protector Pro+  
(YP Pro+) treated soybeans sold  
by Legend Seeds!

*If any soybeans treated with YP Pro+ Seed Treatment require replanting, replant seed of the same technology and the treatment will be supplied at no cost.*



**LIBERTYLINK** Seeds containing the LibertyLink® trait may be protected under one or more U.S. patents and may be planted only to produce one (1) commercial crop in a single season, and only after signing a BASF Grower Technology Agreement. It is illegal to save seeds containing the LibertyLink trait for use as planting seed or for transfer to others for use as planting seed.

LibertyLink® GT27® soybeans offer triple stack tolerance to Liberty, glyphosate, and, in select counties specified on the label, the first HPPD based herbicide for soybeans—Alite™ 27. Other HPPD herbicides not labeled for use with LibertyLink GT27 or isoxaflutole-resistant soybeans may cause significant crop injury. Alite 27 herbicide is only available for use in labeled counties.

Always read and follow label directions. Alite 27 is a restricted use herbicide. Alite, Liberty, and LibertyLink are registered trademarks of BASF. GT27 is a registered trademark of M.S. Technologies, L.L.C. MS Technologies is a trademark of M.S. Technologies, L.L.C. ©2020 BASF Corporation / M.S. Technologies, L.L.C. All Rights Reserved.



**Product Use Statement:** Enlist E3® soybeans contain the Enlist E3 trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist E3 soybeans.

**Warning:** Enlist E3 soybeans are tolerant of over-the top applications of glyphosate, glufosinate, and 2,4-D. Accidental application of incompatible herbicides to this variety could result in total crop loss. When using 2,4-D herbicides, grower agrees to only use 2,4-D products that contain Colex-D technology authorized for use in conjunction with Enlist E3 soybeans. Always read and follow herbicide label directions prior to use.

**YOU MUST SIGN A TECHNOLOGY AGREEMENT, READ THE PRODUCT USE GUIDE PRIOR TO PLANTING AND FOLLOW HERBICIDE RESISTANCE MANAGEMENT (HRM) REQUIREMENTS.**

The transgenic event in the Enlist E3® soybean is protected under Corteva Agriscience and M.S. Technologies, L.L.C. Patent Rights which can be found at: [www.corteva.us/Resources/trait-stewardship.html](http://www.corteva.us/Resources/trait-stewardship.html).

The transgenic event in the Enlist E3® soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience LLC and M.S. Technologies, L.L.C. ®™ Enlist, Enlist E3, the Enlist E3 log and Colex-D are trademarks of Corteva Agriscience and its affiliated companies.

IMPACT IS TRADEMARK OF M.S. TECHNOLOGIES, L.L.C., WEST POINT, IA

## SEED USE RESTRICTION AGREEMENT

This Seed Use Restriction Agreement (the "Agreement") applies to all users ("User(s)") of the seed ("Seed") contained in this package. If you purchase the Seed, you agree that you and any person or entity, including employees, representatives, contractors and agents thereof, who plant, grow, cultivate or otherwise use the Seed, will abide by these use restrictions. If you open or cause any person or entity to open a package of Seed, you agree that you accept the terms of this Agreement, and you, your employees, representatives, contractors and agents will abide by these use restrictions.

## SEED USE AGREEMENT

M.S. Technologies, L.L.C. ("MS TECH") and its suppliers are engaged in the business of developing and supplying for sale various varieties and/or hybrids of Seed. MS TECH and its suppliers have a substantial investment and expended substantial effort in the development and production of this seed, and in the use of subsequent production of Seed. MS TECH and its suppliers have existing contractual relationships with other distributors for the sale of seed and expectations of additional contracts for sale of seed from such distributors in the future. The purchase of the Seed includes a limited license to produce a single crop under MS TECH property rights, including where applicable certain U.S. patents which can be found on the package and seed tags.

In consideration of the foregoing, and in consideration of the Seed that User has been sold or otherwise granted the right to use, User hereby acknowledges and agrees that the production from the Seed will be used only for feed or processing, and unless USER has an agreement for such purposes, Seed and plants produced from Seed will not be used or sold for seed, breeding, or any variety or hybrid development or improvement purposes; these restrictions apply to all plants produced from Seed, including without limitation variant and inbred plants and Seed that may be contained in this package or grow from Seed. User acknowledges MS TECH and its suppliers have a proprietary interest in the use of subsequent production from the Seed, and agrees it would be a violation of this Agreement to allow the subsequent production of the Seed to be used to create any seed variety or seed product from said production. Any export of this Seed or its progeny from the country of purchase is strictly prohibited,

except that forage or grain may be exported solely for use in feeding or processing.

User agrees and acknowledges that any use of the Seed, which is forbidden by this Agreement will constitute a misappropriation of the property of MS TECH and its suppliers and will therefore result in a breach of this Agreement. User agrees that MS TECH and/or its suppliers may bring an action to recover damages as a result of the breach of this Agreement, along with reasonable attorney fees and costs associated with any action commenced in regard thereto. User further agrees that the exclusive venue for any dispute arising under this Agreement or in connection to any breach thereof shall be in the federal or state courts for Dallas County, Iowa, and hereby irrevocably consents to the personal jurisdiction of such courts. This Agreement shall be governed under the laws of the State of Iowa.

User agrees and acknowledges that any use of the Seed, which is forbidden by this Agreement, will damage MS TECH and its suppliers' legitimate expectation of future sales of seed, and any use of Seed in violation of this Agreement will constitute an attempt to intentionally injure or destroy MS TECH and its suppliers' prospective business expectations in future sales of seed.

User agrees and acknowledges that any use of Seed from MS TECH in violation of this Agreement will cause substantial damage to MS TECH and/or its suppliers, and that if subsequent production of the Seed is used to create a seed variety or seed product, substantial damage to MS TECH and/or its suppliers for all seed varieties or seed products thereby created will be caused. This Agreement shall not limit any other rights, legal or equitable, that MS TECH and its suppliers have but shall be accumulative.

User agrees to only use agricultural herbicide that are expressly labeled for use in conjunction with the Seed and have received government approvals as specified in a product use guide.

## NOTICE OF REQUIRED ARBITRATION

Under the seed laws of several states arbitration, mediation or conciliation is required as a prerequisite to maintaining a legal action based upon the failure of seed to produce as represented. The consumer shall file a complaint along with the required filing fee (where applicable) with the Commissioner/Director/Secretary of Agriculture, Seed Commissioner, or Chief Agricultural Officer within such time as to permit inspection of the crops, plants or trees by the designated agency and the seller from whom the seed was purchased. A copy of the complaint shall be sent to the seller by certified or registered mail or as otherwise provided by state statute.

## OTHER TERMS & CONDITIONS

For sale in the U.S. only. MS TECH assumes no responsibility for MS TECH's supplier's, distributor's or dealer's verbal and/or written claims, promises, warranties or actions which are contrary to MS TECH's normal operating policies. USER must notify MS TECH within fourteen (14) days of becoming aware of alleged issues regarding the quality or performance of the Seed.

## LIMITATION OF WARRANTIES & DAMAGES

**MS TECH warrants, to the extent of the purchase price and to the extent that the packaging and label have not been compromised, that the Seed is as described on the package and on the tag attached thereto within recognized tolerances. MS TECH gives no other WARRANTY, expressed or implied, of MERCHANTABILITY or FITNESS of the Seed for any particular purpose, nor any warranty against loss due to any cause, including environmental conditions, soil conditions, chemicals or farming practices, or the response of the Seed to any such conditions. MS TECH shall not be liable for incidental or consequential damages, including loss of profits. MS TECH'S LIABILITY for damages for any cause, including breach of contract, breach of warranty, and negligence, with respect to the sale of seed is LIMITED to the purchase price of the Seed. THIS REMEDY IS EXCLUSIVE. BY ACCEPTANCE OF THIS SEED OR OPENING THIS PACKAGE, USER ACCEPTS THE TERMS HEREIN. IF USER DOES NOT AGREE WITH THESE TERMS AND CONDITIONS, USER MUST RETURN THE ORIGINAL UNOPENED SEED PACKAGE TO MS TECH WITHIN TWENTY DAYS OF RECEIPT AND USER'S SOLE REMEDY SHALL BE FOR REFUND OF THE USER'S ORIGINAL PURCHASE PRICE. MS TECH may modify and amend the terms and conditions of this Agreement without notice and in its sole discretion.**

MS TECH has utilized standard industry isolation and purity procedures in the production of seed products. Because of contamination factors beyond MS TECH's control, MS TECH cannot warrant or represent that MS TECH seed products are free of other transgenic corn traits or transgenic soybean traits. Words and phrases herein shall be construed as in the singular or plural number, according to the context.

© 2020 M.S. Technologies, L.L.C.

05/19/20



# FROM THE FIELD

*Our growers do the talking for us...*

*I had IMPACT Enlist E3 beans and Channel Xtendflex beans this year. I split the field evenly and even though my Enlist E3 beans had dicamba damage from a neighbors field, they still out yielded the Channel beans by 3+ bushels. I will have ENLIST E3 beans from Legend again this year!*

*Robert Borka - Hutchinson, MN*

*This is my second year planting IMPACT brand soybeans. Both years I have been happy with yields compared to other companies' soybeans.*

*Leon Zastrow - Hemlock, MI*

*I was very pleased with the performance of the IMPACT Enlist E3 soybeans that I planted in 2021. I had the best field average that I have ever raised.*

*Jim Jarosz - Cedar Rapids, NE*

*I can't say enough about the Enlist E3 & LibertyLink GT27 soybeans! Through drought, IDC, and spider mites this season, I still had 53 bushel beans! Just amazing!*

*Eric Smith - Holloway, MN*

*This was my first year planting IMPACT brand soybeans. The 19E173N did very well on all soil types. I was very happy with the yields.*

*Greg Wardin - Hemlock, MI*

*The Enlist E3 platform has exceeded my expectations on performance.*

*Kevin Jacques - Silver Lake, MN*

*I had IMPACT Enlist E3 beans again this year and they exceeded my expectations!*

*Joe Mauk - Montrose, MN*



EXPERIENCE THE

**PERFORMANCE** YOU EXPECT

WITH THE **RESULTS** YOU DESERVE.

**DISTRIBUTED BY LEGEND SEEDS, INC.**



Legend Seeds, Inc.  
PO Box 241  
De Smet, SD 57231



605-854-3346  
800.678.3346



info@legendseeds.net  
legendseeds.net - Website



Follow us on  
f i n y t